



Leave Behind Narcan & Fentanyl Testing

Effective: July 1, 2024

Review: July 1, 2027

Approved: [Link to Record of Revisions and Approvals](#)

I. Purpose

To provide guidelines for EMS personnel to provide an intra-nasal naloxone delivery device to patients who are at high risk for fatal opioid overdose, and to allow providers to leave behind fentanyl testing strips to reduce the chances of unintentional overdose.

Opioid overdose is one of the leading causes of death in the United States. Providing overdose prevention, recognition, and response education to drug users and their neighbors, friends, and families is a harm reduction intervention that saves lives. The Naloxone Distribution Project (NDP) is a federally funded “Leave Behind Naloxone” initiative administered by the Department of Health Care Services (DHCS) in California to combat opioid overdose-related deaths through the free distribution of naloxone and fentanyl test strips to qualifying entities for the purpose of distribution to persons at risk for opioid overdose and those in a position to assist those persons at risk. EMS agencies in California are qualified entities to participate in this program. EMS personnel are encouraged to distribute naloxone to individuals at risk for opioid overdose, or any person in a position to assist individuals at risk and train these individuals on appropriate naloxone use. [Click here](#) for Alameda County specific opioid data.

II. Policy

EMS providers may stock naloxone intra-nasal delivery devices intended for layperson use in the event of an opioid overdose. Providers may also stock fentanyl testing strips. These supplies may be obtained through the following mechanisms:

- a. The Narcan Distribution Program (NDP) by completing an application to the DHCS to participate in the NDP program (free of charge).
https://aurrerahealthgroup.qualtrics.com/jfe/form/SV_3aqWz9n74FH7tVs
- b. In addition to free Narcan from NDP, agencies may also purchase the naloxone intra-nasal delivery devices and/or fentanyl test strips intended for layperson use through their normal supply chain. All EMS providers, under the direction of the Alameda County EMS Medical Director are authorized to leave naloxone and test strips with a patient or responsible adult that:
 - i Declines transport to the hospital after an opioid overdose event
 - ii Meets the standard level of consciousness to refuse transport
 - iii Is deemed by EMS to be at risk of an unintentional overdose EMS personnel may, at their discretion, leave an intra-nasal delivery device with other individuals whom EMS personnel deem to be at risk for unintentional



opioid overdose (e.g., patients whose medication regimen includes high doses of narcotics or at-risk family members or bystanders), even if the call does not specifically involve an opioid overdose.

III. Procedure

1. Administration of naloxone by EMS providers at the scene of an incident will be performed in accordance with existing Alameda County EMS protocols.

EMS personnel shall recommend immediate transport to an emergency department for any patient who requires resuscitation with naloxone or has been determined to be suffering from an opioid overdose. If a patient declines transport, EMS personnel shall:

- a. Assess the patient for level of consciousness and capacity to refuse transport.
 - b. Thoroughly document the assessment and that the patient has been deemed to have adequate decision-making capacity to decline transport.
2. Patients who do not have adequate decision-making capacity to decline transport shall be transported to the closest, most appropriate emergency department as per Alameda County protocol.
 3. Patients who decline transport and are deemed to have adequate decision-making capacity will be asked to sign an AMA declining further care and transport.
 4. For patients who decline and are deemed to have adequate decision-making capacity, EMS personnel may leave an intra-nasal naloxone delivery device and an opioid addiction informational pamphlet with the patient or other responsible adult at the scene.
 5. If a naloxone delivery device is left with the patient or other responsible adult, EMS personnel shall provide instruction on the indications and proper technique for usage of the device.
 6. If a naloxone delivery device is left with the patient or other responsible adult, EMS personnel shall record the patient's level of consciousness, record that instruction was provided and the fact that a naloxone delivery device was left behind in the narrative section of the electronic patient care record.
 7. EMS personnel may, at their discretion, leave an intra-nasal delivery device and/or test strips with other individuals whom EMS personnel deem to be at risk for unintentional opioid overdose (e.g., patients whose medication regimen includes high doses of narcotics or at-risk family members or bystanders), even if the call does not specifically involve an opioid overdose. In such cases, EMS personnel shall document on the initial electronic patient care record that naloxone was provided to a separate individual and include the naloxone lot number. Instruction to the recipient or patient will be provided.