

**EQUIPMENT AND SUPPLY SPECIFICATIONS - ALS/BLS**

<b>MINIMUM SUPPLY SPECIFICATIONS</b>	<b>BLS</b>	<b>ALS Non-Transport</b>	<b>ALS Transport</b>
<b>AIRWAY EQUIPMENT</b>			
<b>▼ Airways:</b>			
● Oropharyngeal (Sizes 0 - 6).....	1 each	1 each	2 each
● Nasopharyngeal (soft rubber)			
» 14 Fr., 18 Fr., 22 Fr., 26Fr. ....	1 each	1 each	1 each
» 30 Fr. ....	1	1	1
» 32 Fr. ....	1	1	2
» 34 Fr. ....	1	1	1
<b>▶ Atomizer for intranasal medication administration</b>	2	1	3
<b>▶ County Approve Continuous Positive Airway Pressure (CPAP) Device</b>		1	1
<b>▶ Impedance Threshold Device (ResQPOD® ITD-16) .....</b>		1	1
<b>▼ Intubation Equipment:</b>			
● County approved video laryngoscopy device .....		1 (optional)	1 (optional)
● Laryngoscope (handle) .....		1	1
● Batteries (extra) .....		1 set	1 set
● Blades (curved McIntosh):			
● Adult			
» # 4 .....		1	1
» # 3 .....		1	1
● Pediatric			
» # 2 .....		1	1
» # 1 .....		1	1
● Adult (Straight Miller)			
» # 4 .....		1	1
» # 3 .....		1	1
● Pediatric			
» # 2 .....		1	1
» # 1 .....		1	1
● Magill forceps:			
» Adult .....		1	1
» Pediatric .....		1	1
● Adult (cuffed with adaptor)			
» Size 6.0 .....		1	2
» Size 6.5 .....		1	2
» Size 7.0 .....		1	2
» Size 7.5 .....		1	2
» Size 8.0 .....		1	2
● Stylet			
» Adult .....		1	1

**EQUIPMENT AND SUPPLY SPECIFICATIONS - ALS/BLS**

<b>MINIMUM SUPPLY SPECIFICATIONS</b>	<b>BLS</b>	<b>ALS Non-Transport</b>	<b>ALS Transport</b>
<ul style="list-style-type: none"> <li>● i-gel Supraglottic Airway                             <ul style="list-style-type: none"> <li>» Size 1.0.....</li> <li>» Size 1.5.....</li> <li>» Size 2.0.....</li> <li>» Size 2.5.....</li> <li>» Size 3.....</li> <li>» Size 4.....</li> <li>» Size 5.....</li> </ul> </li> <li>● Disposable Waveform Capnography.....</li> <li>● ET Tube Holder                             <ul style="list-style-type: none"> <li>» Adult .....</li> </ul> </li> <li>● Tracheal tube introducer (bougie) .....</li> </ul>	<p style="text-align: center;">2 (optional)</p>	<p style="text-align: center;">1 (optional)</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">2</p>	<p style="text-align: center;">1 (optional)</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">5</p> <p style="text-align: center;">3</p> <p style="text-align: center;">2</p>
<p><b>▼ Nebulizer</b></p> <ul style="list-style-type: none"> <li>● Patient Activated .....</li> <li>● Hand-held for Inhalation .....</li> <li>● In-Line nebulizer equipment with 22 &amp; 24 mm “T-piece” .....</li> </ul>		<p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p>	<p style="text-align: center;">2</p> <p style="text-align: center;">2</p> <p style="text-align: center;">2</p>
<p><b>▼ Oxygen equipment and supplies:</b></p> <ul style="list-style-type: none"> <li>● O<sub>2</sub> Tank (portable) .....</li> <li>● Non-rebreather masks (transparent)                             <ul style="list-style-type: none"> <li>» Adult .....</li> <li>» Pediatric/Infant .....</li> <li>» Nasal cannula for O<sub>2</sub> administration .....</li> <li>» Portable Pulse-Oximetry .....</li> <li>» Adult end-tidal CO<sub>2</sub> sampling nasal cannula.....</li> <li>» Pediatric end-tidal CO<sub>2</sub> sampling nasal cannula.....</li> </ul> </li> </ul>	<p style="text-align: center;">1</p> <p style="text-align: center;">2</p> <p style="text-align: center;">1</p> <p style="text-align: center;">2</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p>	<p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p>	<p style="text-align: center;">1</p> <p style="text-align: center;">2</p> <p style="text-align: center;">1</p> <p style="text-align: center;">2</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p>
<p><b>▶ County-approved pleural decompression kit</b></p>		1	2
<p><b>▼ BVM with O<sub>2</sub> reservoir and facemask</b></p> <ul style="list-style-type: none"> <li>● Adult .....</li> <li>● Pediatric .....</li> <li>● Infant .....</li> </ul>	<p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p>	<p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p>	<p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p>
<p><b>▼ Suction equipment and supplies:</b></p> <ul style="list-style-type: none"> <li>● Rigid Suction Catheter.....</li> <li>● Suction apparatus (portable) .....</li> <li>● Suction catheters, pediatric:                             <ul style="list-style-type: none"> <li>» 6 Fr .....</li> <li>» 10 Fr .....</li> <li>» 18 Fr .....</li> </ul> </li> <li>● Suction Canisters .....</li> </ul>	<p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p>	<p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p>	<p style="text-align: center;">2</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p> <p style="text-align: center;">1</p>

**EQUIPMENT AND SUPPLY SPECIFICATIONS - ALS/BLS**

<b>MINIMUM SUPPLY SPECIFICATIONS</b>	<b>BLS</b>	<b>ALS Non-Transport</b>	<b>ALS Transport</b>
<b>DRESSING MATERIALS</b>			
▶ <b>County Approved Chest Seals</b> .....		2	3
▶ <b>Adhesive bandages (Assorted)</b> .....	1 container	1 container	1 container
▶ <b>Cold Pack</b> .....	2	2	2
▼ <b>Dressing Materials</b>			
• 4" x 4" gauze .....	12	6	12
• 10 x 30" or larger universal dressings .....	2	2	3
• ABD pad (9 x 5") .....	2	2	2
• Roller bandages			
» 2" .....	2	1	2
» 3" .....	2	1	2
» 4" .....	2	2	2
• QuikClot® Combat Gauze™ .....		1 (Optional)	1 (Optional)
▶ <b>Elastic Bandage 3"</b> (ACE Style Bandage).....	1	1	1
▶ <b>Scissors</b> (heavy duty) .....	1	1	1
▼ <b>Splints</b> - cardboard splint with a soft or cushioned surface, flexible, form-fitting splint (e.g. SAM or vacuum splint):			
• Adult Arm.....	1	1	2
• Adult Leg.....	1	1	2
• Traction Splint		1	1
▼ <b>Tape</b>			
• 1" .....	1 roll	1 roll	1 roll
• 2" .....	1 roll	1 roll	1 roll
▶ <b>Triangular Bandage</b> .....	1	1	2
▶ <b>County Approved Tourniquet (for hemorrhage control)</b>	1	1	1
<b>EQUIPMENT AND SUPPLIES</b>			
▼ <b>Automated External Defibrillator (AED) equipment</b>			
• Automated External Defibrillator - pediatric ready .....	1		
• "Hands- off" defib pads			
» Adult .....	1 set		
» Pediatric .....	1 set		
▶ <b>Blanket Disposable</b>	1	1	1
▼ <b>Blood pressure cuff (portable):</b>			
• Adult .....	1	1	1
• Obese .....		1	1
• Pediatric .....	1	1	1
• Infant .....		1	1
▶ <b>Bulb Syringe</b> (optional if supplied in Delivery Kit)	1	1	1
▶ <b>Burn Sheets (sterile)</b>	1	1	1
▶ <b>CO Monitor</b>		1 (Optional)	1 (Optional)

**EQUIPMENT AND SUPPLY SPECIFICATIONS - ALS/BLS**

<b>MINIMUM SUPPLY SPECIFICATIONS</b>	<b>BLS</b>	<b>ALS Non-Transport</b>	<b>ALS Transport</b>
<b>▼ Delivery Kit</b> <b>Sterile, prepackaged to include:</b> <ul style="list-style-type: none"> <li>● a minimum of two (2) umbilical cord clamps</li> <li>● scissors (may be packaged separately)</li> <li>● aspirating bulb syringe</li> <li>● gloves</li> <li>● drapes</li> <li>● antiseptic solution</li> </ul>	1	1	1
▶ <b>EMS Field Manual</b> (may be print or digital copy)	1	1	1
▶ <b>Gloves, disposable</b>	1 box	1 box	2 boxes
▶ <b>Glucometer</b>	1	1	1
<b>▼ Irrigation Equipment:</b> <ul style="list-style-type: none"> <li>» Sterile Saline or Sterile Water for irrigation.....</li> <li>» Tubing for irrigation .....</li> </ul>	2	1 (Optional)	2 1
▶ <b>EMS Approved Length Based Resuscitation Tape - (LBRT)</b>		1	1
▶ <b>Lubricant, water soluble</b>	2 packs	2 packs	2 packs
▶ <b>County Approved Mechanical CPR Device</b>		1 (Optional)	1 (Optional)
<b>▼ Monitor/defibrillator equipment:</b> <ul style="list-style-type: none"> <li>● Defibrillator Must have strip recorder, synchronized cardioversion and transcutaneous pacing capability, and be portable &amp; operational. Both monophasic and biphasic waveform defibrillators are acceptable; however, biphasic is preferred. Energy level dependent upon manufacturer.</li> <li>● Batteries, extra (if available) .....</li> <li>● “Hands-off” defib pads                             <ul style="list-style-type: none"> <li>» Adult .....</li> <li>» Pediatric .....</li> </ul> </li> <li>● EKG electrodes.....</li> <li>● 12-lead EKG capability .....</li> </ul>		1	1
		1 set	1 set
		1 set	1 set
		1 set	1 set
		3 packs	6 packs
		1	1
▶ <b>Pen Light</b>	1	1	1
▶ <b>Point of Wounding (POW) Kit</b> (Items located in this kit may be counted towards minimums of other items in this table)	1	1	1
▶ <b>Radio unit(s)</b> Must be able to function with all facets of the current EBRCS radio system	1	1	1
▶ <b>Thermometer - patient safe</b>	1	1 (optional)	1
▶ <b>Triage Tags</b>	20	20	20
▶ <b>Triage Tape</b>	1 roll ea. - red, yellow, green, black		
▶ <b>Scoop Stretcher or equivalent</b>	1 (optional for IFT)		1
▶ <b>Flexible multi-positional patient carrying device</b>	1 (optional)	1 (optional)	1 (optional)

**EQUIPMENT AND SUPPLY SPECIFICATIONS - ALS/BLS**

<b>MINIMUM SUPPLY SPECIFICATIONS</b>	<b>BLS</b>	<b>ALS Non-Transport</b>	<b>ALS Transport</b>
▶ <b>Stethoscope</b>	1	1	1
▶ <b>Stretcher</b>	1		1
<b>IMMOBILIZATION EQUIPMENT</b>			
▶ <b>Cervical collars - Stiff:</b> Sizes to fit all patients over one year old	1 each size	1 each size	2 each size
▶ <b>Head immobilizer</b> that provides lateral and built-in occipital support	1	1	2
▼ <b>Spine boards (rigid)</b>			
• Long board (72" x 14") ..... with removable 5-strap adjustable immobilization device	1	1	1
• Pediatric with velcro straps and head harness .....	1 (optional for IFT)	1	1
(LBRT holder optional)			
▶ <b>Vacuum Mattress</b>	1 (optional)	1	1
▶ <b>Athletic helmet face mask removal tool (optional)</b>	1	1	1
<b>IV EQUIPMENT/SYRINGES/NEEDLES</b>			
▼ <b>Armboards</b>			
• Short .....			1
• Pediatric .....		1	1
▼ <b>Catheters</b>			
• 16 gauge .....		1 (optional)	2
• 18 gauge .....		2	2
• 20 gauge .....		2	2
• 22 gauge .....		2	2
• 24 gauge .....		2	2
▶ <b>Chlorhexidine</b> .....		6	12
▼ <b>Handheld Battery Powered Intraosseous Equipment</b>			
• EZ-IO® Driver .....		1	1
• 15 mm Needle Set (pink hub, 3kg-39kg) .....		1 (optional)	2 (optional)
• 25 mm Needle Set (blue hub, >3kg) .....		1	2
• 45 mm Needle Set (yellow hub, >40kg with excessive tissue) .....		1	2
• Vascular access pack .....		1	2
▼ <b>Needles</b>			
• 22 g x 1.5".....		1	4
• 23 g x 1".....		1	2
• 18 g x 1½" 5 micron filter needle (optional) .....		1	2
▶ <b>Pressure Infusion Bags</b>		1	1
▶ <b>Saline Lock</b>		2	2
▼ <b>Syringes - Luer-Lock type</b>			
• 1 mL .....	1	1	2
• 3 mL .....		1	2
• 10 mL .....		2	2

**EQUIPMENT AND SUPPLY SPECIFICATIONS - ALS/BLS**

<b>MINIMUM SUPPLY SPECIFICATIONS</b>	<b>BLS</b>	<b>ALS Non-Transport</b>	<b>ALS Transport</b>
• 30 mL .....		1	2
▶ <b>T-connector</b>		1	2
▶ <b>Tourniquet (for IV start)</b>		1	1
▶ <b>Tubing - Adjustable flow 3-way administration set</b>		1	2
<b>MEDICATIONS AND SOLUTIONS - preloads preferred</b>			
▶ <b>Adenosine 6 mg / 2 mL NS</b>		1	2
▶ <b>Adenosine 12 mg / 4 mL NS</b>		1	2
▶ <b>Albuterol 2.5 mg in 3 mL NS</b>		2	4
▶ <b>Amiodarone 150 mg in 3 mL or 150 mg in 100ml premixed bag</b>		2	3
▶ <b>Aspirin 81 mg chewable tablet or 325 mg/5 gr. tablet</b>	1 bottle	1 bottle	1 bottle
▶ <b>Atropine Sulfate 1 mg / 10 mL</b>		3	3
▶ <b>Autoinjector antidote kit (optional)</b> (atropine 2mg in 0.7mL's & pralidoxime chloride 600mg in 2 mL's)	3 per person	3 per person	3 per person
▶ <b>Calcium Chloride 1 gm / 10 mL</b>		1	1
▶ <b>Charcoal, 25 grams</b>		1 bottle	2 bottles
▶ <b>Dextrose 10% in 250mL bags</b>		1	2
▶ <b>Diphenhydramine 50 mg / 1 mL</b>		1	2
▶ <b>Epinephrine 1mg / mL 1 mg / 1 mL</b>		2	2
▶ <b>Epinephrine 0.1mg/mL 1 mg / 10 mL</b>		3	3
▶ <b>Epinephrine Auto-Injectors</b> Adult 0.3mg, Pediatric 0.15mg ▶ <b>Epinephrine 1mg / mL 1 mg / 1 mL</b>	1 of each Auto-injector or 1 vial		
▶ <b>Fentanyl 100 mcg / 2 mL</b>		2	2
▶ <b>Glucagon 1 mg Kit</b>		1	1
▶ <b>Glucose (Oral) - 31 gms</b>	2	2	2
▶ <b>Hydroxocobalamin 5g / 250ml</b>		Optional	
▶ <b>Ipratropium (Atrovent) 500 mcg (2.5 mL)</b>		1	2
▶ <b>Ketamine (Ketalar) 500 mg / 10 ml (50 mg / ml) OR 10 mg / ml concentration</b>		Min. 30 mg	Min. 30 mg
▶ <b>Ketorolac (Toradol) 15mg / 1ml</b>		1	1
▶ <b>Lidocaine 2% 40 mg / 2 mL</b>		1	1
▶ <b>Midazolam 10 mg / 2 mL</b>		2	2
▶ <b>Naloxone 2 mg / 2 mL</b>	2	2	2
▶ <b>Nitroglycerine</b>		1 bottle	1 bottle
▶ <b>Olanzapine (Zyprexa) 10mg oral dissolving tablets</b>		2	2
▶ <b>Ondansetron (Zofran) 4mg / 2 mL for IV/IM injection</b>		1	2
▶ <b>Ondansetron (Zofran) 4mg oral dissolving tablets</b>		2	4
▶ <b>Saline, sterile (for injection) 10 mL</b>		2	2

**EQUIPMENT AND SUPPLY SPECIFICATIONS - ALS/BLS**

<b>MINIMUM SUPPLY SPECIFICATIONS</b>	<b>BLS</b>	<b>ALS Non-Transport</b>	<b>ALS Transport</b>
▶ <b>Sodium bicarbonate 50 mEq / 50 mL</b>		1	2
▶ <b>Sodium Thiosulfate 12.5 gms with 10 gtt/mL vented tubing</b>		1 (Supervisor or Battalion Chief)	
▶ <b>Tranexamic Acid</b>		1	1
▼ <b>Bags for infusion</b>			
• D <sub>5</sub> W or Normal Saline 100mL		1	2
• Normal Saline (NS)- May use 500mL or 1000mL bags		1,000mL	2,000mL